
HGTR

HGTR Series High Speed Softmount Washer Extractor



STRENGTHS AND BENEFITS

- The new frame structure increases G-Force up to 500, which greatly shortens the clothes drying time and saves energy.
- Clad steel panels are resistant to rust and fingerprints ensuring the surface of the equipment is always beautiful and clean.
- All stainless-steel inner and outer drums.
- 100kg adopts air bag and shock absorber hybrid suspension system ensuring the equipment runs more smoothly and quietly at ultra-high speed.
- The advanced electronic balancing system combined with the new frame greatly reduces out-of-balance and noise, and improves work efficiency.
- The specially designed 3D stereoscopic inner drum with perforated lifters improves cleanliness and reduces damage to clothes.
- The innovative frame design makes the 100kg washer more compact and reduces the floor space by 25%.
- The 100kg washer has an optional front tilting function to reduce labor costs.
- Large touch screen controller, easy to operate.




3D Honeycomb shaped or Diamond shaped inner drum to give

- ☑ Better washing action
- ☑ Faster drain
- ☑ Easier unloading after high spin
- ☑ No linen damage during high extraction


7 INCH TOUCH SCREEN CONTROL WITH MULTI-LANGUAGES





HGTR1000 with suspension
of air bags and shock absorbers.
It is quiet and smooth during high spin.

MORE BALANCING WITH THE MOTOR HUNG ON THE OUTER CYLINDER



Specifications		HGTR 200F	HGTR 250F	HGTR 300F	HGTR 400F	HGTR 600F	HGTR 1000F
Capacity	kg	20	25	30	40	60	100
Cylinder Diameter	mm	683	774	774	903	1078	1240
Cylinder Depth	mm	504	532	590	626	656	840
Volume	liter	185	251	278	400	598	1014
Cold Water inlet	inch	3/4	3/4	3/4	1	1 1/2	1 1/2
Hot Water inlet	inch	3/4	3/4	3/4	1	1 1/2	1 1/2
Steam Heating	inch	1/2	1/2	1/2	3/4	1	1
Compressed Air inlet*	mm	8	8	8	8	8	8
Drain Diameter	mm	76	76	76	76	110	2x110
Motor Power	kW	2.2	2	3.5	3.5	5.5	7.5
Three phase electric heating power	kW	18	18	18	30	30	45
Extract Speed	RPM	1144	1075	1075	890	850	760
G-Force		500	500	500	400	400	400
Power Supply		380V/50Hz/60Hz/3ph					
		Contact us for other supply					
Overall Width	mm	900	1032	1032	1180	1480	1670
Overall Depth	mm	1074	1068	1148	1395	1476	1750
Overall Height	mm	1357	1440	1440	1530	1850	1980/ plus tilting base2100
Net Weight	kg	350	513	600	1140	1840	2600
Packing Width	mm	1000	1132	1132	1280	1580	1770
Packing Depth	mm	1174	1168	1248	1495	1576	1850
Packing Height	mm	1507	1590	1590	1680	2000	2130/ plus tilting base2250

***Compressed air inlet only applies to steam heating models.**

Oasis preserves the right to change the machines and the specification at any time without prior notice.



China #1 Commercial Laundry Equipment and Dry Cleaning Machines Manufacturer

- Founded in 1997
- 130,000 m² manufacturing facilities
- 9 production lines
- 1000+ automated production equipment and in-house designed molds
- Selling into 80+ countries
- Smart central laundry factory solutions and real-time training provider

Jinan Oasis Dry cleaning and Laundry Equipment co.,Ltd.

Tel:+86-531-85701288 85711288

E-mail: inquiry@oasisle.com

Http://www.oasislaundrygroup.com

Add: No.39, Lan Xiang Middle Road, jinan City, China